



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/803,214

03/18/2004

Lance Middleton

1842-0028

5833

28078 7590 07/20/2009

MAGINOT, MOORE & BECK, LLP

CHASE TOWER

111 MONUMENT CIRCLE

SUITE 3250

INDIANAPOLIS, IN 46204

EXAMINER

BOUCHELLE, LAURA A

ART UNIT

PAPER NUMBER

3763

MAIL DATE

DELIVERY MODE

07/20/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/803,214	Applicant(s) MIDDLETON ET AL.	
	Examiner LAURA A. BOUCHELLE	Art Unit 3763	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,7 and 8 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,7 and 8 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 3763

DETAILED ACTION

Response to Amendment

Allowable Subject Matter

1. The indicated allowability of claim 14 is withdrawn in view of the newly discovered reference(s) to Church, Jr (US 3526391). Rejections based on the newly cited reference(s) follow.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 2, 7, 8 rejected under 35 U.S.C. 103(a) as being unpatentable over Beller (WO 9608227) in view of Church, Jr (US 3526391). Beller discloses a syringe to syringe mixing apparatus comprising an elongate body 3 having a passageway there through and a portion at each of the opposite ends of the passageway for receiving the tip of a respective syringe 1. The elongate body has a mixing chamber for mixing thoroughly mixing two fluids.

3. Beller fails to teach the structure of the mixing chamber and nozzles. Church teaches a device for homogenizing a mixture comprising an elongate body having a passageway with at least two nozzles 6 and a pair of mixing chambers 34, each mixing chamber located between the at least two nozzles, the mixing chamber being enlarged relative to the nozzle. See Fig. 1. The elongate member has receiving portions 3, 5 on either end capable of receiving a syringe or other

Art Unit: 3763

fluid source. This device is used to homogenize liquids effectively without requiring excessive force or moving parts (Col. 1, lines 25-30, 45-50). It would have been obvious to one of skill in the art at the time of invention to modify the mixing device of Beller to have the structure of Church, including nozzles and enlarged mixing chambers because Church teaches that this structure is an effective means for thoroughly mixing fluids without the use of excessive force or moving parts which can be susceptible to wear and tear and difficult to clean.

4. Regarding claim 7, Church discloses that the nozzle openings range from about 1/100 to ¼ of the diameter of the inlet 3 (Col. 2, lines 53-56). As can be seen from the figures the opening 3 is approximately the same diameter as the mixing chambers 34. It would have been obvious to form the mixing means of Beller having the configuration and dimensions as taught by Church because these dimensions allow thorough mixing of the fluids without the need for excessive force.

5. Regarding claim 8, Church discloses that the nozzles are cylindrical (col. 2, line 45).

Response to Arguments

6. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LAURA A. BOUCHELLE whose telephone number is (571)272-2125. The examiner can normally be reached on Monday-Friday 8-4.

Art Unit: 3763

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 517-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Laura A Bouchelle
Examiner
Art Unit 3763

/L. A. B./
Examiner, Art Unit 3763

/Nicholas D Lucchesi/
Supervisory Patent Examiner, Art Unit 3763